

# Material Safety Data Sheet

www.aschulman.com



**A. Schulman**  
COMBINING YOUR SUCCESS<sup>SM</sup>

## SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

Product Name: ExxonMobil LLP8460.29 Pulverized  
Description: Distribution Product  
Item Number: 1005169  
Revision Date: May 2, 2006

### Contact for Information / Manufacturer Identification:

A. Schulman Inc.  
1183 Home Ave.  
Akron, OH 44310  
Environmental Affairs: 1-800-532-7786  
(8:00 am - 5:00 pm EST - Monday through Friday)  
Customer Service: 1-800-54-RESIN  
Email: ea@us.aschulman.com

## SECTION 2 HAZARDS IDENTIFICATION

- 2.1 Emergency Overview**  
HMIS (US only): Health 1, Fire Hazard 1, Reactivity 0  
NFPA: Health 0, Flammability 0, Reactivity 0
- 2.2 OSHA Regulatory Status**  
All ingredients are encapsulated by the polymer and therefore not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
- 2.3 Potential Health Effects**  
Routes of entry for solids include eye and skin contact, ingestion, and inhalation. Refer to Section 4 for First Aid Measures.
- 2.4 Potential Environmental Effects**  
None Known.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

ExxonMobil LLP8460.29 Pulverized - Page 1 of 4

This product does not contain chemicals that are considered hazardous under 29 CFR 1910.1200.

#### SECTION 4 FIRST AID MEASURES

**Eyes:** Flush with water. If irritation persists seek medical attention.

**Skin:** For thermal burns, immediately flush with cold water. Do not attempt to remove polymer from skin. Seek medical attention.

**Inhalation:** Leave exposed area and seek fresh air. If irritation persists seek medical attention.

**Ingestion:** Do not induce vomiting. Seek medical attention.

#### SECTION 5 FIRE FIGHTING MEASURES

Wear protective clothing and use self-contained breathing equipment. Extinguishing media to include water, foam, CO<sub>2</sub>, and dry chemical.

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

Spilled material may cause a slip hazard. Vacuum or sweep material and place in a disposal container.

#### SECTION 7 HANDLING AND STORAGE

**Handling:** See 8.3 Personal Protective Equipment

**Storage:** Keep container closed to prevent contamination

#### SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

##### 8.1 Exposure Guidelines

This product does not contain chemicals that are considered hazardous under 29 CFR 1910.1200.

##### Special characteristics or information:

If this product is in a powdered or pulverized form, nuisance dust may be produced. The PEL for nuisance dust is 15 mg/M<sup>3</sup>. Ground and bond containers when transferring material. Keep away from heat, sparks, and flame.

## 6.2 Engineering Controls

Localized ventilation is recommended.

## 6.3 Personal Protective Equipment

**Eyes/Face:** Safety Glasses.

**Hands:** Cotton Gloves for handling molten plastic.

**Skin:** Protective clothing for contact with molten plastic.

**Respirator:** NIOSH approved respirator for dust generation from normal processing operations.

**Hygiene:** Wash thoroughly after handling and before eating or drinking.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical Condition:	Powder
Odor:	Odorless at ambient temperature Characteristic plastic odor during heating
Flash Point:	Over 400°F
Flammability (solid, gaseous):	Not reasonably applicable
Minimum limit of Explosion:	Not reasonably applicable
Maximum limit of Explosion:	Not reasonably applicable
Vapor Pressure:	Not reasonably applicable
Relative density:	0.5 - 1.5 g/ml
Bulk density:	No data available
Water solubility:	Insoluble
pH Value:	Not reasonably applicable
OC Content:	Less than 5 parts per million

## SECTION 10 STABILITY AND REACTIVITY

This product is stable and non-reactive. Hazardous decomposition of products can occur if overheated or ignited.

## SECTION 11 TOXICOLOGICAL INFORMATION

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

## SECTION 12 ECOLOGICAL INFORMATION

Refer to Section 6.

## SECTION 13 DISPOSAL CONSIDERATIONS

ExxonMobil LLP8460.29 Pulverized - Page 3 of 4

Preferred options for disposal are (1) recycling, (2) incineration with energy recovery, and (3) landfill. Treatment, storage, transportation, and disposal must be in accordance with applicable Federal,

#### **SECTION 14            TRANSPORT INFORMATION**

This Product is not regulated under the following regulations:

United States Department of Transportation (DOT)

United States Coast Guard Regulations

International Maritime Organization (IMO) regulations

International Civil Aviation Organization (ICAO) regulations

International Air Reports Association (IATA) regulations

Canadian Transportation of Dangerous Goods (TDG) regulations

European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR)

regulations

European Agreement Concerning the International Carriage of Dangerous Goods by Rail (RID) regulations

Australian Dangerous Goods (ADG) regulations

#### **SECTION 15            REGULATORY INFORMATION**

Reference Section 3.

All Components of this product are on or exempt from listing on the US TSCA inventory and on Canadian DSL inventory.

SARA Title III Reporting: Not Required

#### **SECTION 16            OTHER INFORMATION**

Definitions:

CAS = Chemical Abstract Number

DSL = Domestic Substance List

OSHA = Occupational Safety and Health Act

PEL = Permissible Exposure Limit

TSCA = Toxic Substance Control Act

SARA = Superfund Amendments & Reclamation Act

VOG = Volatile Organic Chemical

N/E = Not Established

Prepared By: smf