

Distributed by: Laguna Clay Company 14400 Lomitas Ave City of Industry, CA 91746 1-800-4Laguna info@lagunaclay.com www.lagunaclay.com

SAFETY DATA SHEET Ultrox S, Ultrox S+, Ultrox S+K, Ultrox Z+

1. Identification	
Product identifier	
Product name	Ultrox S, Ultrox S+, Ultrox S+K, Ultrox Z+
Product number	51415,51451,51451(K),51453
Recommended use of the cl	hemical and restrictions on use
Application	Ceramic
Details of the supplier of the	safety data sheet
Supplier	
Supplier:	Trebol Florida LLC 11400 New Berlin Road Jacksonville Florida 32226 USA Tel. ++1 904 751 2828 Fax ++1 904 751 6828
Emergency telephone numb	er
Emergency telephone	++1 904 607 3011
2. Hazard(s) identification	
Classification of the substan	ce or mixture
Physical hazards	Not Classified
Health hazards	Carc. 1A - H350 STOT RE 1 - H372
Environmental hazards	Not Classified
Label elements Pictogram	
Signal word	Danger
Hazard statements	H350 May cause cancer.

800-452-4862

H372 Causes damage to organs through prolonged or repeated exposure.

info@lagunaclay.com

Precautionary statements	 P201 Obtain special instructions before use. P260 Do not breathe vapor/spray. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/protective clothing/eye protection/face protection. P308+P313 If exposed or concerned: Get medical advice/attention. P405 Store locked up. P501 Dispose of contents/container in accordance with national regulations.
Contains	Crystalline Silica / Silicon Dioxide

3. Composition/information on ingredients

Mixtures	
Zirconium silicate	95 - 100%
CAS number: 14940-68-2	
Classification Not Classified	
Crystalline Silica / Silicon Dioxide	1 - 4%
CAS number: 14808-60-7	
Classification Carc. 1A - H350 STOT RE 1 - H372	

The Full Text for all Hazard Statements are Displayed in Section 16.

4. First-aid measures		
Description of first aid measures		
Inhalation	Move affected person to fresh air at once.	
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Keep affected person under observation. Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.	
Skin Contact	Remove contaminated clothing and rinse skin thoroughly with water.	
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.	
Most important symptoms and	l effects, both acute and delayed	
General information	Not available.	
Indication of immediate medical attention and special treatment needed		
Notes for the doctor	No specific recommendations.	
5.Fire-fighting measures		
Extinguishing media		
Suitable extinguishing media	The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	None.	

Special hazards arising from t	ne substance or mixture	
Specific hazards	None. No unusual fire or explosion hazards noted.	
Hazardous combustion products	No known hazardous decomposition products.	
Advice for firefighters		
Protective actions during firefighting	No specific firefighting precautions known.	
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.	
6. Accidental release measure	S	
Personal precautions, protecti	ve equipment and emergency procedures	
Personal precautions	Ensure suitable respiratory protection is worn during removal of spillages in confined areas. For personal protection, see Section 8.	
Environmental precautions		
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.	
Methods and material for cont	ainment and cleaning up	
Methods for cleaning up	Collect powder using special dust vacuum cleaner with High-Efficiency Particulate Arrestance (HEPA) vacuum filter or carefully sweep into suitable waste disposal containers and seal securely. Wash thoroughly after dealing with a spillage.	
Reference to other sections	For personal protection, see Section 8. For waste disposal, see section 13.	
7. Handling and storage		
Precautions for safe handling		
Usage precautions	Good personal hygiene procedures should be implemented. Use mechanical ventilation if there is a risk of handling causing formation of airborne dust. Avoid eating, drinking and smoking when using the product.	
Conditions for safe storage, in	cluding any incompatibilities	
Storage precautions	Store in tightly-closed, original container. Store locked up. Keep container dry.	
Specific end uses(s)		
Specific end use(s)	Not known.	
8. Exposure Controls/personal	protection	
Control parameters		
Occupational exposure limits		
Zirconium silicate		
Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m ³ Short-term exposure limit (15-minute): ACGIH 10 mg/m ³ Long-term exposure limit (8-hour TWA): OSHA 5 mg/m ³ Short-term exposure limit (15-minute): OSHA 10 mg/m ³		
Crystalline Silica / Silicon Diox	ide	
Long-term exposure limit (8-ho	our TWA): ACGIH 0.025 mg/m ³ respirable fraction	
A2		

ACGIH = American Conference of Governmental Industrial Hygienists. A2 = Suspected Human Carcinogen. OSHA = Occupational Safety and Health Administration.

Exposure controls

Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of dust. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Wear tight-fitting, dust-resistant, chemical splash goggles if airborne dust is generated.
Hand protection	For prolonged or repeated skin contact use suitable protective gloves.
Other skin and body protection	No specific recommendations.
Respiratory protection	If respiratory protection is necessary, respirator usage is recommended as follows: A NIOSH- approved tight fit respirator with an organic vapor cartridge and an N, R or P100 filter should be worn, or an air supplied full face respirator or hood should be worn.
Thermal hazards	Not relevant.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Powder.
Color	White/off-white.
Odor	Odorless.
Odor threshold	Not applicable.
рН	pH (concentrated solution): ~ 6.3
Melting point	2550°C
Initial boiling point and range	Not available.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	4.6 g/ml @ °C
Solubility(ies)	Insoluble in water.
Partition coefficient	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not applicable.
Explosive properties	Not considered to be explosive.
Other information	None.

10. Stability and reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	Not known. Will not polymerize.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Hazardous decomposition products	No known hazardous decomposition products.
11. Toxicological information	

Information on toxicological effects

General information	Zirconium Silicate contains small quantities of radioactive isotopes of Uranium and Thorium. The average concentrations in Zirconium Silicate are 300 ppm of Uranium and 180 ppm of Thorium. The radioactivity of Zirconium Silicate is due to it's natural radionuclides which are not processed, and which have not been processed, in view of their radioactive, fissile or fertile properties. Work activities involving Zirconium Silicates are regulated under a specific regulation (Council Directive 96/29/EURATOM of 13 May 1996), which is different to that concerning radioactive substances. This Directive, establishes the need to assess the radiation exposure to which workers are or may be exposed. The radiation level established by the International
	Commission on Radiological Protection (ICRP) sets an annual radiation dose of 1 mSv over which physical surveillance of workers becomes required. This value has been adopted by the Commission of the European Communities. Studies c have concluded that when workers exposure to Zirconium Silicate is continuous (2000 hours per year), the radiation dose may reach 1 mSv over the year.
Inhalation	Prolonged and/or massive exposure to respirable crystaline silica-containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica. IARC Classification Group 1: human carcinogenic.
Skin Contact	Skin irritation should not occur when used as recommended.
Eye contact	Particles in the eyes may cause irritation and smarting.
Acute and chronic health hazards	Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.
Toxicological information on	ingredients.
	Zirconium silicate

Carcinogenicity	
IARC carcinogenicity	Not listed.
OSHA Carcinogenicity	Not listed.
	Crystalline Silica / Silicon Dioxide

800-452-4862

	Carcinogenicity		
	IARC carcinogenicity		IARC Group 1 Carcinogenic to humans.
NTP carcinogenicity		city	Known human carcinogen.
	OSHA Carcinogenicity		Not listed.
12. Ecologie	cal Information		
Ecotoxicity		There are no data on the ecotoxicity of this product. The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.	
Toxicity			
Toxicity		Not con	sidered toxic to fish.
Acute toxici	ty - fish	Not avai	lable.
Acute toxici invertebrate		Not available.	
Acute toxici	ty - aquatic plants	Not available.	
Acute toxici microorgani	-	Not available.	
Acute toxici	ty - terrestrial	Not available.	
	and degradability and degradability		
Bioaccumul	accumulative potential		
Bio-Accumu	ulative Potential	No data available on bioaccumulation.	
Partition co	efficient	Not applicable.	
Mobility in s	soil		
Mobility		Not known.	
Results of F	PBT and vPvB asse	essment	
Results of F assessment	PBT and vPvB t	Not applicable.	
Other adver	effects		
Other adver	rse effects	Not available.	
13. Disposa	al considerations		
	ment methods		
Disposal me	ethods	Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
14. Transpo	ort information		
General		The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).	
UN Number	<u>[</u>		

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance No.

Special precautions for user

Not applicable.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Regulatory Status Not subject to the provisions of SARA 313 Title III. Not subject to TSCA Export Notification Section 12b.

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed or exempt.

SARA 313 Emission Reporting

None of the ingredients are listed or exempt.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed or exempt.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins The following ingredients are listed or exempt:

Crystalline Silica / Silicon Dioxide

California Air Toxics "Hot Spots" (A-I) None of the ingredients are listed or exempt.

California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances The following ingredients are listed or exempt:

Crystalline Silica / Silicon Dioxide

Massachusetts "Right To Know" List

The following ingredients are listed or exempt:

Crystalline Silica / Silicon Dioxide

Rhode Island "Right To Know" List

The following ingredients are listed or exempt:

Crystalline Silica / Silicon Dioxide

Minnesota "Right To Know" List The following ingredients are listed or exempt:

Crystalline Silica / Silicon Dioxide

New Jersey "Right To Know" List The following ingredients are listed or exempt:

Crystalline Silica / Silicon Dioxide

Pennsylvania "Right To Know" List The following ingredients are listed or exempt:

Crystalline Silica / Silicon Dioxide

Inventories

EU - EINECS/ELINCS All the ingredients are listed or exempt.

Canada - DSL/NDSL All the ingredients are listed or exempt.

US - TSCA All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification None of the ingredients are listed or exempt.

Australia - AICS All the ingredients are listed or exempt.

Japan - MITI None of the ingredients are listed or exempt.

Korea - KECI All the ingredients are listed or exempt.

China - IECSC All the ingredients are listed or exempt.

Philippines - PICCS All the ingredients are listed or exempt.

New Zealand - NZIOC None of the ingredients are listed or exempt.

16. Other information

Revision date	6/17/2016
Revision	9
Supersedes date	3/23/2016
Hazard statements in full	H350 May cause cancer. H372 Causes damage to organs through prolonged or repeated exposure. H372 Causes damage to organs (Respiratory system, lungs) through prolonged or repeated exposure if inhaled.

www.Lagunaclay.com

800-452-4862

info@lagunaclay.com

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.