

# SAFETY DATA SHEET



Distributed by: Laguna Clay Company 14400 Lomitas Ave City of Industry, CA 91746 1-800-4Laguna info@lagunaclay.com www.lagunaclay.com

## 1. Identification

1. Identification	
Product identifier	Terra Alba F & P
Other means of identification	
SDS number	5200000116
Synonyms	Filler
Recommended use	ceramic use
<b>Recommended restrictions</b>	Use in accordance with manufacturer's recommendations.
Manufacturer / Importer / Suppli	er / Distributor information
Company name Address Telephone Website Emergency phone number	United States Gypsum Company 550 West Adams Street Chicago, Illinois 60661-3637 1-800-874-4968 www.usg.com 1-800-507-8899
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	None.
Precautionary statement	Observe good industrial hygiana practices

Prevention	Observe good industrial hygiene practices.
Response	Get medical attention/advice if you feel unwell.
Storage	Store as indicated in Section 7.
Disposal	Dispose of in accordance with local, state, and federal regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

## 3. Composition/information on ingredients

Mixtures			
Chemical name		CAS number	%
Calcium sulfate dihydrate (alternative CAS 10101-41-4)		13397-24-5	> 95
Composition comments	All concentrations are in percent by weight unless	s ingredient is a gas.	
4. First-aid measures			
Inhalation	Dust irritates the respiratory system, and may cause coughing and difficulties in breathing. Move injured person into fresh air and keep person calm under observation. Get medical attention if symptoms persist.		
Skin contact	Contact with dust: Rinse area with plenty of wate persists.	r. Get medical attention if	irritation develops or
Eye contact	Dust in the eyes: Do not rub eyes. Flush thorougl assistance.	hly with water. If irritation	occurs, get medical
Ingestion	Rinse mouth. Get medical attention if symptoms	occur.	
Most important symptoms/effects, acute and delayed	Under normal conditions of intended use, this pro irritate throat and respiratory system and cause of	•	e a health risk. Dust n

Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.	
General information	Ensure that medical personnel are aware of the material(s) involved.	
5. Fire-fighting measures		
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media	Not applicable.	
Specific hazards arising from the chemical	Not a fire hazard.	
Special protective equipment and precautions for firefighters	Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire-fighting equipment/instructions	Use standard firefighting procedures and consider the hazards of other involved materials.	
Specific methods	Cool material exposed to heat with water spray and remove it if no risk is involved.	
6. Accidental release measures		
Personal precautions, protective equipment and emergency procedures	See Section 8 of the SDS for Personal Protective Equipment.	
Methods and materials for containment and cleaning up	Vacuum up the spilled material. Vacuums used for this purpose should be equipped with HEPA filters. Containers must be labeled. Collect in approved containers and seal securely. For waste disposal, see Section 13 of the SDS.	
Environmental precautions	Avoid discharge to drains, sewers, and other water systems.	
7. Handling and storage		

Precautions for safe handling	Minimize dust production when mixing, or opening and closing bags. Avoid inhalation of dust. Wear appropriate personal protective equipment. Wash hands after handling. Observe good industrial hygiene practices and use appropriate lifting techniques.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry, well-ventilated place. Store away from incompatible materials. Avoid contact with acids, water, and moisture.

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Calcium sulfate dihydrate (alternative CAS 10101-41-4) (CAS 13397-24-5)	PEL	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	Form
Calcium sulfate dihydrate	TWA	10 mg/m3	Inhalable fraction.
(alternative CAS 10101-41-4) (CAS 13397-24-5)			
10101-41-4) (CAS	to Chemical Hazards		
10101-41-4) (CAS 13397-24-5)	to Chemical Hazards Type	Value	Form
10101-41-4) (CAS 13397-24-5) US. NIOSH: Pocket Guide Components Calcium sulfate dihydrate (alternative CAS 10101-41-4) (CAS		Value 5 mg/m3	<b>Form</b> Respirable.
10101-41-4) (CAS 13397-24-5) US. NIOSH: Pocket Guide Components Calcium sulfate dihydrate (alternative CAS	Туре		
10101-41-4) (CAS 13397-24-5) US. NIOSH: Pocket Guide Components Calcium sulfate dihydrate (alternative CAS 10101-41-4) (CAS 13397-24-5)	Туре	5 mg/m3 10 mg/m3	Respirable.
10101-41-4) (CAS 13397-24-5) US. NIOSH: Pocket Guide Components Calcium sulfate dihydrate (alternative CAS 10101-41-4) (CAS 13397-24-5) logical limit values propriate engineering	Type TWA	5 mg/m3 10 mg/m3 or the ingredient(s). ations causing dust formation.	Respirable.
10101-41-4) (CAS 13397-24-5) US. NIOSH: Pocket Guide Components Calcium sulfate dihydrate (alternative CAS 10101-41-4) (CAS 13397-24-5) logical limit values propriate engineering ntrols	Type TWA No biological exposure limits noted for Provide sufficient ventilation for oper	5 mg/m3 10 mg/m3 or the ingredient(s). ations causing dust formation. of exposure.	Respirable.

919897 Version #: 01 Revision date: - Issue date: 03-April-2014 www.Lagunaclay.com

800-452-4862

info@lagunaclay.com

Skin protection	
Hand protection	It is a good industrial hygiene practice to minimize skin contact. For prolonged or repeated skin contact use suitable protective gloves.
Other	Normal work clothing (long sleeved shirts and long pants) is recommended.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved air purifying respirator as needed to control exposure. Consult with respirator manufacturer to determine respirator selection, use, and limitations. Use positive pressure, air-supplied respirator for uncontrolled releases or when air purifying respirator limitations may be exceeded. Follow respirator protection program requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator use.
Thermal hazards	None.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment separately from regular wash. Observe any medical surveillance requirements.

# 9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Powder.
Color	White to off-white.
Odor	Low to no odor.
Odor threshold	Not applicable.
рН	6 - 8
Melting point/freezing point	Not applicable. Not applicable.
Initial boiling point and boiling range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not applicable.
Flammability limit - upper (%)	Not applicable.
Explosive limit - lower (%)	Not applicable.
Explosive limit - upper (%)	Not applicable.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Relative density	2.96 (H2O=1)
Solubility(ies)	
Solubility (water)	0.15 - 0.4 g/100 g (H2O)
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	2642 °F (1450 °C)
Viscosity	Not applicable.
Other information	
Bulk density	55 - 70 lb/ft³
Particle size	Varies.
VOC (Weight %)	0 %
10. Stability and reactivity	

Reactivity	Not available.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

Terra Alba F & P 919897

Version #: 01 Revision date: - Issue date: 03-April-2014 www.Lagunaclay.com 800-452-4862 www.Lagunaclay.com

Conditions to avoid	Contact with incompatible materials. Exposure to moisture.
Incompatible materials	Strong oxidizing agents. Strong acids.
Hazardous decomposition products	Calcium oxides, carbon dioxide, and carbon monoxide.

## 11. Toxicological information

i i i exitere gitta interna	
Information on likely routes of e	exposure
Ingestion	Ingestion may cause irritation and stomach discomfort.
Inhalation	Airborne dust may irritate throat and upper respiratory system causing coughing.
Skin contact	Under normal conditions of intended use, this product does not pose a skin hazard.
Eye contact	Direct contact with airborne particulates may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Dust may irritate eyes and mucous membranes of the nose, throat and upper respiratory system causing sneezing and/or coughing.
Information on toxicological eff	ects
Acute toxicity	Not expected to be a hazard under normal conditions of intended use.
Skin corrosion/irritation	Not a skin irritant.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	n
<b>Respiratory sensitization</b>	Not expected to cause respiratory sensitization based on non-skin sensitization history.
Skin sensitization	Not a skin sensitizer.
Germ cell mutagenicity	No evidence of mutagenicty found in Ames bacterial tests.
Carcinogenicity	This material is not classified as a carcinogen by IARC, ACGIH, NTP or OSHA.
Reproductive toxicity	Not expected to be a reproductive hazard.
Specific target organ toxicity -	No data available, but none expected.

single exposure Specific target organ toxicity - No data available, but none expected. repeated exposure

Aspiration hazard	Due to the physical form of the product it is not an aspiration hazard.
Chronic effects	No other specific acute or chronic health impact noted.

## 12. Ecological information

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results	
Calcium sulfate dihydrate (al	ternative CA	S 10101-41-4) (CAS 13397	7-24-5)	
Aquatic				
Fish	LC50	Fathead minnow (Pir	nephales promelas) > 1970 mg/l, 96 hours	
Persistence and degradability	Calcium s	Calcium sulfate dissolves in water forming calcium and sulfate ions.		
Bioaccumulative potential	Bioaccum	Bioaccumulation is not expected.		
Mobility in soil	No data available.			
Other adverse effects	None exp	ected.		

## 13. Disposal considerations

Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations. Recycle responsibly.			
Local disposal regulations	Dispose of in accordance with local regulations.			
Hazardous waste code	Not regulated.			
Waste from residues / unused products	Dispose of in accordance with local regulations.			
Contaminated packaging	Dispose of in accordance with local regulations.			

## 14. Transport information

### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to** Not applicable. This product is a solid. Therefore, bulk transport is governed by IMSBC code.

the IBC Code

## 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200 (OSHA) and 8 CCR § 5194 (Cal/OSHA).

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Hazard categories

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical

SARA 313 (TRI reporting) Not regulated.

#### Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

### US state regulations

US. Massachusetts RTK - Substance List

Calcium sulfate dihydrate (alternative CAS 10101-41-4) (CAS 13397-24-5)

## US. New Jersey Worker and Community Right-to-Know Act

Calcium sulfate dihydrate (alternative CAS 10101-41-4) (CAS 13397-24-5)

# US. Pennsylvania Worker and Community Right-to-Know Law

Calcium sulfate dihydrate (alternative CAS 10101-41-4) (CAS 13397-24-5)

## US. Rhode Island RTK

Not regulated.

**US. California Proposition 65** 

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance Not listed.

#### International Inventories

### Country(s) or region Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory \*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

800-452-4862

## 16. Other information, including date of preparation or last revision

On inventory (yes/no)\* Yes 01 NFPA Ratings: Health: 1 Flammability: 0 Physical hazard: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

#### **NFPA Ratings**



#### Disclaimer

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.



Distributed by: Laguna Clay Company 14400 Lomitas Ave City of Industry, CA 91746 1-800-4Laguna info@lagunaclay.com www.lagunaclay.com