



**SAFETY DATA SHEET**

1133415		3270-2 Glaze Frit	BAG50LB
Product specification	RS_FP_307428	Revision Date	04/06/2016
Version	1	Print Date	06/23/2016
Material number	1133415	Page	Page 1 of 8

**SECTION 1. IDENTIFICATION**

Product name : 3270-2 Glaze Frit BAG50LB  
000000000001133415

Product code : RS\_FP\_307428

**Manufacturer or supplier's details**

Company name of supplier : Ferro Corporation  
Address : 6060 Parkland Blvd. Suite 250  
Mayfield Heights OH 44124-4185  
Telephone : (216) 875-5600

Distributed by:  
Laguna Clay Company  
14400 Lomas Ave  
City of Industry, CA 91746  
1-800-4Laguna  
info@lagunaclay.com  
www.lagunaclay.com

Disposal considerations : Dispose of wastes in an approved waste disposal facility.

**Emergency telephone number**

CHEMTREC In-Country Number : (800)424-9300  
CHEMTREC Global Number : +(1)-703-527-3887(Call Collect)

**Recommended use of the chemical and restrictions on use**

Recommended use : Industrial use  
Restrictions on use : Reserved for industrial and professional use.

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification**

Not a hazardous substance or mixture.

**GHS Label element**

Not a hazardous substance or mixture.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Chemical nature : glass/frit

**Hazardous components**

No hazardous ingredients

**SECTION 4. FIRST AID MEASURES**

General advice : Consult a physician.

1133415	3270-2 Glaze Frit	BAG50LB
Product specification	RS_FP_307428	Revision Date
Version	1	Print Date
Material number	1133415	Page

- If inhaled : Remove to fresh air.  
If unconscious place in recovery position and seek medical advice.  
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash off immediately with soap and plenty of water.  
If a person feels unwell or symptoms of skin irritation appear, consult a physician.
- In case of eye contact : Rinse immediately with plenty of water and seek medical advice.
- If swallowed : Do NOT induce vomiting.  
Rinse immediately with plenty of water and seek medical advice.

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during firefighting : Exposure to decomposition products may be a hazard to health.  
Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.  
Follow safe handling advice and personal protective equipment recommendations.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Evacuate personnel to safe areas.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.  
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.  
Clean contaminated floors and objects thoroughly while observing environmental regulations.

## SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not get in eyes or mouth or on skin.

1133415		3270-2 Glaze Frit	BAG50LB
Product specification	RS_FP_307428	Revision Date	04/06/2016
Version	1	Print Date	06/23/2016
Material number	1133415	Page	Page 3 of 8

For personal protection see section 8.  
 Smoking, eating and drinking should be prohibited in the application area.  
 Do not use in areas without adequate ventilation.  
 Keep away from heat and sources of ignition.

Conditions for safe storage : Keep in a dry, cool and well-ventilated place.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Apply technical measures to comply with the occupational exposure limits.  
 Provide adequate ventilation.

### Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection  
 Material : Protective gloves

Eye protection : Safety glasses with side-shields  
 Ensure that eyewash stations and safety showers are close to the workstation location.

Protective measures : Wear suitable protective equipment.  
 When using do not eat, drink or smoke.

Hygiene measures : Remove contaminated clothing and protective equipment before entering eating areas.  
 Wash hands before breaks and immediately after handling the product.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : white

Odour : odourless

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

# SAFETY DATA SHEET



1133415		3270-2 Glaze Frit	BAG50LB
Product specification	RS_FP_307428	Revision Date	04/06/2016
Version	1	Print Date	06/23/2016
Material number	1133415	Page	Page 4 of 8

---

Evaporation rate	: Not applicable
Burning rate	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Bulk density	: No data available
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Refractive index	: Not applicable

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No data available
Chemical stability	: No data available
Possibility of hazardous reactions	: No data available
Conditions to avoid	: Incompatible materials
Incompatible materials	: Incompatible with oxidizing agents. Incompatible with strong acids and bases.
	No data available

1133415		3270-2 Glaze Frit	BAG50LB
Product specification	RS_FP_307428	Revision Date	04/06/2016
Version	1	Print Date	06/23/2016
Material number	1133415	Page	Page 5 of 8

No data available

Hazardous decomposition products : Stable under normal conditions.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

inhalation (dust/mist/fume)

inhalation (vapour)

Skin

Eye contact

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

### Skin corrosion/irritation

Not classified based on available information.

### Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

<b>1133415</b>		<b>3270-2 Glaze Frit</b>	<b>BAG50LB</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>04/06/2016</b>
Version	<b>1</b>	Print Date	<b>06/23/2016</b>
Material number	<b>1133415</b>	Page	<b>Page 6 of 8</b>

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

**Persistence and degradability****Product:**

Biodegradability : Remarks: No data available

**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: No data available

**Mobility in soil****Product:**

Distribution among environmental compartments : Remarks: No data available

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of wastes in an approved waste disposal facility.

1133415		3270-2 Glaze Frit	BAG50LB
Product specification	RS_FP_307428	Revision Date	04/06/2016
Version	1	Print Date	06/23/2016
Material number	1133415	Page	Page 7 of 8

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulation

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Pollution category : N/A

Ship type : N/A

### National Regulations

#### 49 CFR DOT

Not regulated as a hazardous material

---

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : TSCA 5a - Not relevant  
TSCA\_12b - Not relevant

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know

This product contains components that are reportable under the regulation.

### New Jersey Right To Know

This product contains components that are reportable under the regulation.

### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

1133415		3270-2 Glaze Frit	BAG50LB
Product specification	RS_FP_307428	Revision Date	04/06/2016
Version	1	Print Date	06/23/2016
Material number	1133415	Page	Page 8 of 8

**The components of this product are reported in the following inventories:**

CH INV	: On the inventory, or in compliance with the inventory
TSCA	: On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL.
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA), CH INV (Switzerland), MY INV (Malaysia), TR INV (Turkey), TW INV (Taiwan)

**SECTION 16. OTHER INFORMATION**

Sources of key data used to compile the Safety Data Sheet : [1] Estudio de Evaluación de Riesgos de la Fritas Cerámicas, Universitat Jaume I, 2005  
 [2] Modelling Study of Ceramic Frits Formulation for their Classification in REACH, Universtat Jaume I, 2009  
 [3] 2009 Validity Assessement of the Exemption Dossier Cera

Revision Date : 04/06/2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.